



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/716,126	11/17/2003	Satoru Kawabe	8373.322US01	6093

23552 7590 12/02/2004
MERCHANT & GOULD PC
P.O. BOX 2903
MINNEAPOLIS, MN 55402-0903

EXAMINER

GUTMAN, HILARY L

ART UNIT PAPER NUMBER

3612

DATE MAILED: 12/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/716,126

Applicant(s)

KAWABE ET AL. *af*

Examiner

Hilary Gutman

Art Unit

3612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 September 2004 and 12 October 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) 4 and 5 is/are withdrawn from consideration.
- 5) ☒ Claim(s) 2 and 3 is/are allowed.
- 6) ☒ Claim(s) 1 is/are rejected.
- 7) ☒ Claim(s) 6 and 7 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 November 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the floor panel being connected to the rear crossmember of claim 1 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

2. Claims 6-7 are objected to because of the following informalities:

Art Unit: 3612

In claim 6, lines 6 and 8, "the" should be inserted before "U-shaped". On line 7, "cross-section" should be "cross-sections" and "enc" should be "end".

In claim 7, line 1, "the corrugated panel" should be "the corrugated sheet".

Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Takeichi et al.

Takeichi et al. (4,966,082) disclose a vehicle floor structure comprising: left and right floor frame members 5, 5 (Figure 2); a plurality of crossmembers 6 (Figure 15) extended between the left and right floor frame members at predetermined intervals; a floor panel 12 mounted to the left and right floor frame members and the crossmembers; the floor panel having front and rear end portions connected to front and rear crossmembers 6, 6, respectively, of the plurality of crossmembers; and a corrugated sheet 14 of wave form having a plurality of longitudinally oriented ridges 14a disposed in a substantially rectangular space formed by the left and right frame members and opposed crossmembers, the corrugated sheet having left and right side portions (Figure 2) connected to the left and right floor frame members, respectively, and front and rear edge portions (Figure 1) connected to the front and rear crossmembers 6, 6, respectively, the ridges of the corrugated sheet being connected to the floor panel (Figure 3).

Art Unit: 3612

5. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by JP '481.

JP 1-119481 discloses a vehicle floor structure (Figure 2) comprising: left and right floor frame members 10, 10; a plurality of crossmembers 12, 13 extended between the left and right floor frame members at predetermined intervals; a floor panel 2 mounted to the left and right floor frame members and the crossmembers; the floor panel 2 having front and rear end portions connected to front and rear crossmembers 12, 13, respectively, of the plurality of crossmembers; and a corrugated sheet of wave form 5 having a plurality of longitudinally oriented ridges disposed in a substantially rectangular space formed by the left and right frame members and opposite ones of the crossmembers, the corrugated sheet having left and right side portions connected to the left and right floor frame members (Figure 3), respectively, and front and rear edge portions connected to the front and rear crossmembers 12, 13 (as best seen in Figure 4), respectively, the ridges of the corrugated sheet being connected to the floor panel indirectly through a material 3.

Allowable Subject Matter

6. Claims 2-3 are allowed.
7. Claims 6-7 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

8. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Specifically, the prior art of Figure 19 as discussed in the background of the invention section of the current application teaches a floor panel 210 of the type claimed that is placed over and apparently connected to left and right crossmembers 200, 201 as well as a plurality of crossmembers 202, 203, 204, 205, 206, 207, 208, and 209, of which number 202 appears to be a front crossmember and 209 appears to be a rear crossmembers.

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Art Unit: 3612

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hilary Gutman whose telephone number is 703-305-0496.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on 703-308-3102. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

12. Any response to this final action should be mailed to:


Box AF
Assistant Commissioner for Patents
Washington, D.C. 20231

or faxed to:

(703) 872-9327, (for formal communications; please mark "EXPEDITED
PROCEDURE")

or:

(703) 746-3515, (for informal or draft communications, please clearly label
"PROPOSED" or "DRAFT").


Hilary Gutman

November 24, 2004